


Myron E - Diffuser



In spaces like recording control rooms, sound mastering rooms or other high fidelity listening environments where the sound quality is critical, controlling the bandwidth of diffusion is a priority. Myron E Diffuser was conceived and developed by Artnovion with a specific technical advantage, which allows it to perform way beyond what most of other sound diffusing products are able to deliver.

This EPS panel is available in 3 different colours, and is especially easy to install.

Features

Type:

- Omnidirectional primitive root diffuser
- Optimized primitive root reflection phase grating.
- 100 phase Block heights

Scattering range:

630 Hz to 6300 Hz


Purpose

- Enlarging sweet spot
- Specular reflection control
- Flutter echo control

Recommended for

- Control room
- Recording room
- Home studio
- Broadcast studio
- Drum room

Performance



This product is available in the following Fire Rate:

FG | Furniture Grade

PRODUCT COMPOSITION:

Myron E - Diffuser | EPS


- EPS

Dimensions

Myron E | 595x595x150mm

Why use diffusion?

Diffuser panels scattering incoming sound waves into smaller, lower energy waves, scattered over a large area. These scattered reflections create a homogeneous sound field distribution and a full, balanced acoustic response. This improves speech intelligibility, music quality, and creates a more uniform, larger sweet spot.



Add-ons



FixArt Tube



FixArt Clip

Dimensions

FG | 595x595x150mm

Weight

1.44 Kg

Box

Quantity per box: 4


Dimensions: 645x405x655mm

Volume: 0.171m³

Weight: 7.8Kg

Myron E - Diffuser


(FG) Product Fire Grade - Furniture Grade



FG | (E01) Grigio

Retail code:


00101200010012



FG | (E02) Bianco

Retail code:

00101200010022



FG | (E03) Nero

Retail code:

00101200010032