




Performance



Technical Information



Features

Absorption Range: 315 Hz to 5000 Hz
Acoustic Class: B | (aw) = 0,85

Slotted area: 30%

Carbon positive Natural Wood - Carefully selected wood from controlled, sustainable sources.

Recycled PET absorption - Class 1 product according to the OEKO-TEX® Standard 100.

This product is available in the following Fire Rates:

- FG | Furniture Grade
- FR | Fire Rated

PRODUCT COMPOSITION:

- Siena | Natural Wood Veneer (FG)
- Natural Wood Veneer *
- Marine Grade Plywood Structural Frame
- Sound PET acoustic core - Euro Class B

- Siena | Primer Finished HMDF (FG)
- Primer Finished HMDF *
- Marine Grade Plywood Structural Frame
- Sound PET acoustic core - Euro Class B

- Siena | Natural Wood Veneer (FR)
- Natural Wood Veneer
- Fire Retardant HMDF Structural Frame
- Sound PET Acoustic Core - Euro Class B

- Siena | Lacquered Fire retardant HMDF (FR)
- Lacquered Fire Retardant HMDF
- Fire Retardant HMDF Structural Frame
- Sound PET Acoustic Core - Euro Class B

* finished with a white or black primer paint that gives it a raw, matte effect.

The panelling range is installed to battens that can be installed onto any type of surface. If you want to conceal the sides of the installation use [Metal Side covers](#)

Dimensions:

- FG - PP | 1184x800x39mm | 7.3 Kg
- FG - LW | 800x1184x39mm | 7.3 Kg
- FG - NW | 1184x800x39mm | 7.3 Kg
- FR - LW | 1184x800x40mm | 7.3 Kg

Siena is a hybrid acoustic panel, combining a high performance acoustic core with calibrated MLS diffuser. Hybrid panels decrease reverberation time whilst also improving sound field distribution, the perfect combination for wall-to-wall solutions to decrease reverberation time and improve speech intelligibility.

Siena is made from select sustainable wood and a recycled PET core (Class 1 product according to the OEKO-TEX@ Standard 100).

It is available in a selection of wood and lacquered finishes.

The panelling range has a simple discreet installation system that allows for quick mounting and easy maintenance.

Product finishes

(FG - PP) Painted Primer Finishes



FG | (L11) Raw White



FG | (L12) Raw Black

(FG - LW) Lacquered Wood Finishes



FG | (L16) RAL 9003



FG | (L17) RAL 9005

(FG - NW) Natural Wood Finishes



FG | (W08) Wenge Natura



FG | (W09) Black Walnut
Natura



FG | (W11) Okoumé
Natura



FG | (W12) Ash Natura

(FR - LW) Lacquered Wood Finishes



FR | (L16) RAL 9003



FR | (L17) RAL 9005

(FR - NW) Natural Wood Finishes



FR | (W08) Wenge Natura



FR | (W09) Black Walnut
Natura



FR | (W11) Okoumé Natura



FR | (W12) Ash Natura

Siena V - Panelling

Wooden Absorber



Purpose

- RT reduction
- Improving speech intelligibility
- Flutter echo control
- Reducing excessive reverberation

Recommended for

- Offices
- Conference Rooms
- Meeting Rooms
- Auditoriums
- Restaurants

Fixing Systems

Wall & Ceiling



+ Panelling Batten

Add-ons



+ Panelling - Metal Side Cover